





Commercial Towables.com





Roundloveble





Full cover Heavy duty - Nylon bottom



Full cover Heavy duty - PVC bottom



Half cover







- ·1 air chambers
- ·Comfortable neoprene seat pads
- 8 EVA foam-filled webbing handles with neoprene knuckle guards
- ·Covered "Boston" valves









U-Sider 4

Up to 4 riders

U-Sider 3

Up to 3 riders

U-Sider 2

Up to 2 riders

- ·Rider capacity: up to 4 people
- ·Heavy-duty double layer nylon cover
- •Full PVC bottom with water drains
- ·1 extra strong towing points
- ·1 air chambers

- · Comfortable neoprene seat pads
- 8 EVA foam-filled webbing handles with neoprene knuckle guards
- ·Covered "Boston" valves

























- •Rider capacity: up to 3 people •Heavy-duty double layer nylon cover Heavy duty bottom with water drains
- ·3 extra strong towing points
- · 2 air chambers





- •Rider capacity: up to 6 people •Heavy-duty double layer nylon cover
- ·Full PVC bottom with water drains
- ·3 extra strong towing points
- · 3 air chambers









- ·Rider capacity: up to 5 people
- ·Heavy-duty double layer nylon cover
- •Full PVC bottom with water drains
- •3 extra strong towing points
- · 3 air chambers

















- ·3 extra strong towing points
- · 4 air chambers

- •Rider capacity: up to 6-8 people
 •Heavy-duty double layer nylon cover
 •Full PVC bottom with water drains
 •Comfortable neoprene seat pads
 •43 EVA foam-filled webbing
 handles with neoprene knuckle guards
 •Covered "Boston" valves













































Beach FLAGS














Buoys for Jet Ski





PVC Material

Tow Ropes 2-10p





4p











6р

Bungee rope

Pump 240V

Pump 12V

Banana - Ayidsh









Fly fish 6 pro - Fly fish crystal Original fly fish with or without windows Up to 6 persons



BUNGEE elastic cord














Patches & Glues











Туре	Weight (kg) MinMax.	Speed(m.p.h) MinMax.	m²	Description
28 ft.	45-160	12-20	59	Heavy singles Light Tandem
30 ft.	50-182	12-17	64	Heavy singles Light Tandem
31 ft.	50-187	12-15	67	Heavy singles Light Tandem
32 ft.	54-195	10-15	72	Singles Tandems Light triples
33 ft.	57-200	8-15	75	Singles Tandems Triples
34 ft.	62-215	7-12	81	Heavy singles Heavy tandem Triples
36 ft.	67-240	0-12	96	Heavy singles Heavy tandem Triples
38 ft.	70-249	0-12	105	Tandem Heavy tandem Triples
39 ft.	75-268	0-10	108	Tandem Heavy tandem Triples
40 ft.	75-280	0-10	112	Tandem Heavy tandem Heavy triples
42 ft.	80-295	0-8	120	Tandem Heavy tandem Heavy triples Four seats
44 ft.	80-305	0-8	133	Heavy tandem Heavy triples Four seats
46 ft.	85-330	0-6	141	Heavy tandem Heavy triples Four seats







Commercial Towables.com

www.commercialtowables.com e-mail: info@commercialtowables.com